Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.06.2023

Version number 2 (replaces version 1)

Revision: 13.06.2023

- · 1.1 Product identifier
- · Trade name: PuraDES PentaPURE KONZ
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Cleaning material/ Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: PRISMAN GmbH Otto Hahn Ring 6-18 D-64653 Lorsch Germany
- · Further information obtainable from: Abteilung Produktsicherheit Alexander.Metz@prisman.de
- · 1.4 Emergency telephone number: ++49 (0)6251 866980-0, Mo Fr 8-18 Uhr

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- H319 Causes serious eye irritation. · Precautionary statements
- P280 Wear protective gloves / eye protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components

| · Dangerous components: | | | |
|-------------------------|--------------------------------|---------------------------------------|---------------|
| Ī | CAS: 77-92-9 | citric acid | 10-25% |
| | EINECS: 201-069-1 | 🚯 Eye Irrit. 2, H319; STOT SE 3, H335 | |
| | Index number: 607-750-00-3 | | |
| | <i>RTECS: GE 7350000</i> | | |
| | Reg.nr.: 01-2119457026-42-xxxx | | |
| Ī | CAS: 126-92-1 | Natrium(2-Ethylhexyl)sulfat | <i>≤</i> 2.5% |
| | Reg.nr.: 01-2119971586-23 | Eye Dam. 1, H318 | |
| | | 🚯 Škin Irrit. 2, H315 | |
| | | (Contd | . on page 2) |

Printing date 13.06.2023

Version number 2 (replaces version 1)

Revision: 13.06.2023

Trade name: PuraDES PentaPURE KONZ

· Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 1)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: If skin irritation continues, consult a doctor.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- If symptoms persist consult doctor.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. • 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Keep receptacles tightly sealed.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

GB

Printing date 13.06.2023

Version number 2 (replaces version 1)

Revision: 13.06.2023

Trade name: PuraDES PentaPURE KONZ

| Additional information: The lists valid during the making were used as basis. | (Contd. of page 2) |
|---|--------------------|
| 8.2 Exposure controls | |
| Appropriate engineering controls No further data; see item 7. | |
| Individual protection measures, such as personal protective equipment | |
| General protective and hygienic measures: | |
| Keep away from foodstuffs, beverages and feed. | |
| Immediately remove all soiled and contaminated clothing | |
| Wash hands before breaks and at the end of work. | |
| Avoid contact with the eyes. | |
| Avoid contact with the eyes and skin. | |
| Respiratory protection: Not required. | |
| Hand protection | |
| Protective gloves | |
| The glove material has to be impermeable and resistant to the product/ the substance/ the product of the glove material on consideration of the penetration times, rates of a | |

degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:
- Rubber gloves
- For the permanent contact gloves made of the following materials are suitable: Rubber gloves
- Neoprene gloves
- As protection from splashes gloves made of the following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR
- Natural rubber, NR
- · Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and chemical properties General Information | | | |
|--|-----------------|--|--|
| · Physical state | Fluid | | |
| · Colour: | Various colours | | |
| · Odour: | Recognisable | | |
| · Odour threshold: | Not determined. | | |
| • Melting point/freezing point: | Undetermined. | | |
| Boiling point or initial boiling point and boiling | | | |
| range | 100 °C | | |
| · Flammability | Not applicable. | | |

(Contd. on page 4)

ontd. of page 2) 10

Printing date 13.06.2023

Version number 2 (replaces version 1)

Revision: 13.06.2023

Trade name: PuraDES PentaPURE KONZ

| Lower and upper explosion limit | |
|--|---|
| Lower: | Not applicable |
| Upper: | Not applicable |
| Flash point: | Not applicable. |
| Decomposition temperature: | Not determined. |
| pH at 20 °C | 2 |
| Viscosity: | 2 |
| Kinematic viscosity | Not determined. |
| Dynamic: | Not determined. |
| Solubility | ivoi ueiermineu. |
| water: | Fully miscible. |
| Partition coefficient n-octanol/water (log value) | |
| Vapour pressure at 20 °C: | 23 hPa |
| Density and/or relative density | 25 hi u |
| Density and of relative density Density at 20 °C: | $1.09 \mathrm{c/cm^3}$ |
| Relative density | 1.08 g/cm³ Not determined. |
| • | |
| Vapour density | Not determined. |
| 9.2 Other information | |
| Appearance: | |
| Form: | Fluid |
| Important information on protection of health a | and |
| environment, and on safety. | |
| Auto-ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Solvent content: | |
| VOC (EC) | 0 % |
| Solids content: | 0.0 % |
| Change in condition | |
| Evaporation rate | Not determined. |
| Information with regard to physical hazard clas | 55/5 |
| Explosives | Void |
| Lapiosives | Void |
| Flammable gases | Void |
| Tummuble guses | Void |
| Aerosols | Void |
| Aerosois | Void |
| Ovidising ages | Void |
| Oxidising gases | |
| Cara an Inn an anna | Void Void |
| Gases under pressure | Void Void |
| Flower alla line ide | Void Void |
| Flammable liquids | Void Void |
| | Void Void |
| Flammable solids | Void |
| | Void |
| Self-reactive substances and mixtures | Void |
| | Void |
| Pyrophoric liquids | Void |
| | Void |
| Pyrophoric solids | Void |
| | Void |
| Self-heating substances and mixtures | Void |
| | Void |
| Substances and mixtures, which emit flammable | |
| gases in contact with water | Void |
| | Void |
| | |

Printing date 13.06.2023

Version number 2 (replaces version 1)

Revision: 13.06.2023

Trade name: PuraDES PentaPURE KONZ

| | | (Contd. of page 4) |
|---------------------------|------|--------------------|
| · Oxidising liquids | Void | |
| | Void | |
| • Oxidising solids | Void | |
| 0 | Void | |
| · Organic peroxides | Void | |
| | Void | |
| · Corrosive to metals | Void | |
| | Void | |
| · Desensitised explosives | Void | |
| - | Void | |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

Printing date 13.06.2023

Version number 2 (replaces version 1)

Revision: 13.06.2023

(Contd. of page 5)

Trade name: PuraDES PentaPURE KONZ

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

| SECTION 14: Transport information | | |
|--|-----------------------------|--|
| · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA | Void | |
| · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| · 14.4 Packing group · ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: Marine pollutant: | No | |
| • 14.7 Maritime transport in bulk according to IM instruments | 0 Not applicable. | |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- *The product is classified and labelled according to the GB CLP regulation. Hazard pictograms*



• Signal word Warning

- *Hazard statements* H319 Causes serious eye irritation.
- · Precautionary statements
- P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 7)

⁻ GB

Vancion number 2 (nonlagos vo

Printing date 13.06.2023

Version number 2 (replaces version 1)

Revision: 13.06.2023

Trade name: PuraDES PentaPURE KONZ

(Contd. of page 6)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. · Recommended restriction of use Product only for professional use · Department issuing SDS: Abteilung Produktsicherheit · Contact: Hr. Dr. Metz · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.