Printing date 26.01.2024

Version number 8 (replaces version 7)

Revision: 24.01.2024

· 1.1 Product identifier

- Trade name: <u>PuraDES DecaWIPES XL Pura121</u>
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Surface disinfectant
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: PRISMAN GmbH Otto-Hahn-Ring 6-18 64653 Lorsch info@prisman.de www.prisman.de

• Further information obtainable from:

Abteilung Produktsicherheit Alexander.Metz@prisman.de info@prisman.de

• 1.4 Emergency telephone number: ++49 (0)6251-866980-0, Mo-Fr 8-17 Uhr

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008

Flam. Sol. 1 H228 Flammable solid.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation. • Hazard pictograms



· Signal word Danger

· Hazard-determin	ing components of labelling:
propan-1-ol	
· Hazard statement	ts
H228 Flammable	solid.
H319 Causes seri	ous eye irritation.
H336 May cause	drowsiness or dizziness.
· Precautionary sta	itements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear eye protection / face protection.
P305+P351+P33	88 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Additional inform	vation:

Contains biocidal products: propan-1-ol, propan-2-ol

(Contd. on page 2)

⁻ GB

Printing date 26.01.2024

Version number 8 (replaces version 7)

Revision: 24.01.2024

(Contd. of page 1)

Trade name: PuraDES DecaWIPES XL - Pura121

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 71-23-8 EINECS: 200-746-9 Index number: 603-003-00-0 RTECS: UH 8225000 Reg.nr.: 01-2119486761-29	propan-1-ol Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336	10-25%
RTECS: NT 8050000 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	2.5-10%
• Additional information: For	the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- *After swallowing: Rinse out mouth and then drink plenty of water.*
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13.

(Contd. on page 3)

- GB

Printing date 26.01.2024

Version number 8 (replaces version 7)

Revision: 24.01.2024

Trade name: PuraDES DecaWIPES XL - Pura121

Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

71-23-8 propan-1-ol

WEL Short-term value: 625 mg/m³, 250 ppm Long-term value: 500 mg/m³, 200 ppm Sk

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 4)

Printing date 26.01.2024

Version number 8 (replaces version 7)

Revision: 24.01.2024

Trade name: PuraDES DecaWIPES XL - Pura121

	(Contd. of page 3)
· Material of gloves	
varies from manufacturer to manufacturer, the glove material can not be calculated in	ot only depend on the material, but also on further marks of quality and As the product is a preparation of several substances, the resistance of advance and has therefore to be checked prior to the application.
• Penetration time of glove material The exact break through time has to be j observed.	found out by the manufacturer of the protective gloves and has to be
	without heightened risk of injury (e.g. Laboratory) gloves made of the
• For the permanent contact gloves made o	f the following materials are suitable:
Polychloroprene - CR (0.5 mm): Breakthro	
Nitrile rubber/nitrile latex - NBR (0.35 mm)	
Butyl rubber - Butyl (0.5 mm): Breakthroug	
Fluororubber - FKM (0.4 mm): Breakthroi	
Polyvinyl chloride - PVC (0.5 mm): Breakt	
	on the chemical compatibility and the test according to EN
374 under laboratory conditions.	
Depending on the application, different red	mirements may arise. Therefore the
	tective glove supplier must also be taken into account.
Neoprene gloves	
• As protection from splashes gloves made	of the following materials are suitable:
Butyl rubber, BR	
Nitrile rubber, NBR	
· Eye/face protection	
(Tightly sealed goggles	
SECTION 9: Physical and chemic	al properties
9.1 Information on basic physical and che	emical properties
· General Information	
· Physical state	Solid
· Colour:	Colourless
· Odour:	Alcohol-like
• Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.

Boiling point or initial boiling point and boiling range 82 °C · Flammability Not determined. · Lower and upper explosion limit · Lower: 2.1 Vol % (1-Propanol) 13.5 Vol % (1-Propanol) · Upper: · Flash point: 30 °C • Auto-ignition temperature: 360 °C • Decomposition temperature: Not determined. · pH Not applicable. · Viscosity:

• Kinematic viscosity • Dynamic: Not applicable. Not applicable.

(Contd. on page 5)

GB •

Printing date 26.01.2024

Version number 8 (replaces version 7)

Revision: 24.01.2024

Trade name: PuraDES DecaWIPES XL - Pura121

	(Contd. of page
Solubility	
water:	Soluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	0.96 g/cm ³ (liquid)
Relative density	Not determined.
Vapour density	Not applicable.
9.2 Other information	
Appearance:	
Form:	Liquid on inert carrier material
Important information on protection of health a	and
environment, and on safety. Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
Explosive properties.	explosive air/vapour mixtures are possible.
Solvent content:	explosive un/vapour mixtures are possible.
Organic solvents:	25.0 %
Water:	74.9 %
VOC (EC)	25 %
Change in condition	2570
Evaporation rate	Not applicable.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Flammable solid.
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable ga	ises
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

GB

Printing date 26.01.2024

Version number 8 (replaces version 7)

Revision: 24.01.2024

(Contd. of page 5)

Trade name: PuraDES DecaWIPES XL - Pura121

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

71-23-8 р	ropan-1-ol
-----------	------------

1		
Oral	LD50	5,400 mg/kg /male (rat)
Dermal	LD50	4,032 mg/kg (rabbit)
Inhalative	LC50/4 h	5,400 mg/kg /male (rat) 4,032 mg/kg (rabbit) >33.8 mg/l /4h (rat)
67-63-0 pr	opan-2-ol	

-	-	
Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	13,900 mg/kg (rabbit)
Inhalative	LC50/4 h	>25 mg/l (rat)

· Serious eye damage/irritation Causes serious eye irritation.

· STOT-single exposure May cause drowsiness or dizziness.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

71-23-8 propan-1-ol

EC50 1,000 mg/l (Bel)

3,644 mg/l (daphnia)

LC50/96h 4,555 mg/l (fish)

67-63-0 propan-2-ol

EC50 >100 mg/l (A) >100 mg/l (B)

LC50/96h 9,640 mg/l (fish)

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 7)

GB

Printing date 26.01.2024

Version number 8 (replaces version 7)

Revision: 24.01.2024

Trade name: PuraDES DecaWIPES XL - Pura121

(Contd. of page 6)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3175
· 14.2 UN proper shipping name · ADR · IMDG, IATA	3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O. (n-PROPANOL (PROPYL ALCOHOL, NORMAL ISOPROPANOL (ISOPROPYL ALCOHOL)) SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PROPANOL (PROPYL ALCOHOL, NORMAL ISOPROPANOL (ISOPROPYL ALCOHOL))
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class · Label	4.1 Flammable solids, self-reactive substances, polymerizin substances and solid desensitized explosives 4.1
· 14.4 Packing group · ADR, IMDG, IATA	Π
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: 	Warning: Flammable solids, self-reactive substance polymerizing substances and solid desensitized explosives 40 F-A,S-I
• 14.7 Maritime transport in bulk according to IM instruments	
• Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

Printing date 26.01.2024

Version number 8 (replaces version 7)

l kg

Revision: 24.01.2024

Trade name: PuraDES DecaWIPES XL - Pura121

(Contd. of page 7)

- · IMDG
- \cdot Limited quantities (LQ)
- \cdot Excepted quantities (EQ)

Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

SECTION 15: Regulatory information

	th and environmental regulations/legislation specific for the substance or mixture
GHS label elem	ding to Regulation (EC) No 1272/2008
	lassified and labelled according to the GB CLP regulation.
Hazard pictogra	
GHS02 GHS	607
Signal word Da	nger
Hazard-determ	ining components of labelling:
propan-1-ol	
Hazard stateme	
H228 Flammab	
	rious eye irritation.
	e drowsiness or dizziness.
Precautionary s	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear eye protection / face protection.
<i>P305+P351+P</i> .	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, i present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.
Directive 2012/	18/EU
	bus substances - ANNEX I None of the ingredients is listed.
Seveso category	P5c FLAMMABLE LIQUIDS
15.2 Chemical	afety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.H318 Causes serious eye damage.H319 Causes serious eye irritation.

(Contd. on page 9)

⁻ GB

Printing date 26.01.2024

Version number 8 (replaces version 7)

Revision: 24.01.2024

Trade name: PuraDES DecaWIPES XL - Pura121

(0	Contd. of page 8)
H336 May cause drowsiness or dizziness.	
Department issuing SDS: Abteilung Produktsicherheit	
Contact: Hr. Dr. Metz	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning	the International
Carriage of Dangerous Goods by Road)	ine miernational
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 2: Flammable liquids – Category 2	
Flam. Sol. 1: Flammable solids – Category 1	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the previous version altered.	
	GI