Printing date 23.01.2024 Version number 6 (replaces version 5) Revision: 23.01.2024

· 1.1 Product identifier

· Trade name: PuraDES PentraMAN

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU20 Health services
- · **Product category** PC8 Biocidal products
- · Technical function Biocide
- · Application of the substance / the mixture Hand disinfactant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PRISMAN GmbH

Otto-Hahn-Ring 6-18

64653 Lorsch

info@prisman.de

www.prisman.de

· Further information obtainable from:

info@prisman.de

Mo-Fr 08.00 bis 17:00 Uhr

· 1.4 Emergency telephone number: ++49 (0) 06251 866980 - 0, Mo - Fr 8-17 Uhr

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

propan-1-ol

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

*P337+P313 If eye irritation persists: Get medical advice/attention.* 

*P403+P235* Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 2)

Printing date 23.01.2024 Version number 6 (replaces version 5) Revision: 23.01.2024

Trade name: PuraDES PentraMAN

· vPvB: Not applicable.

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-XXXX	ethanol  Flam. Liq. 2, H225	50-100%
CAS: 71-23-8 EINECS: 200-746-9 Index number: 603-003-00-0 RTECS: UH 8225000 Reg.nr.: 01-2119486761-29	propan-1-ol  Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336	2.5-10%
CAS: 56-81-5 EINECS: 200-289-5 RTECS: MA 8050000 Reg.nr.: 01-2119471987-18-xxxx	glycerol substance with a Community workplace exposure limit	2.5-10%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

(Contd. on page 3)

Printing date 23.01.2024 Version number 6 (replaces version 5) Revision: 23.01.2024

Trade name: PuraDES PentraMAN

Do not inhale explosion gases or combustion gases.

(Contd. of page 2)

### SECTION 6: Accidental release measures

### · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the work,	olace:
--	--------

### 64-17-5 ethanol

WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

### 71-23-8 propan-1-ol

WEL Short-term value: 625 mg/m³, 250 ppm Long-term value: 500 mg/m³, 200 ppm

Sk

### 56-81-5 glycerol

WEL Long-term value: 10 mg/m<sup>3</sup>

(Contd. on page 4)

Printing date 23.01.2024 Version number 6 (replaces version 5) Revision: 23.01.2024

Trade name: PuraDES PentraMAN

· Additional information: The lists valid during the making were used as basis.

(Contd. of page 3)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.
- · Hand protection Not required.
- · Material of gloves
- Penetration time of glove material -
- · Eye/face protection



Tightly sealed goggles

· Body protection: None

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:
Fluid
Colourless
Alcohol-like
Not determined.
Undetermined.

· Boiling point or initial boiling point and boiling range 78 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: 2.1 Vol % (Ethanol)
 Upper: 15 Vol % (Ethanol)
 Flash point: 13 °C (DIN 51755)

· Auto-ignition temperature: 425 °C

• **Decomposition temperature:** Not determined.

 $\cdot$  pH at 20 °C >2.5

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

·Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value)
• Vapour pressure at 20 °C: Fully miscible.

Not determined.
59 hPa (calc.)

Density and/or relative density

Density at 20 °C: 0.89 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

(Contd. on page 5)

Printing date 23.01.2024 Version number 6 (replaces version 5) Revision: 23.01.2024

Trade name: PuraDES PentraMAN

	(Contd. of page
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of head	lth and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	66 %
VOC (EC)	66 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard clas	5525
Explosives	Void
Daproseres	Void
Flammable gases	Void
1 tummuote guses	Void
Aerosols	Void Void
Aerosois	Void Void
Ovidisina ages	Void Void
Oxidising gases	voia Void
Construction	
Gases under pressure	Void
Fl 11 - P 11.	Void
Flammable liquids	Highly flammable liquid and vapour.
Florence II on P. In	Void
Flammable solids	Void
	Void
Self-reactive substances and mixtures	Void
D 1 ' 1' ' 1	Void
Pyrophoric liquids	Void
B 1 1 111	Void
Pyrophoric solids	Void
	Void
Self-heating substances and mixtures	Void
	Void
Substances and mixtures, which emit flammable	=
in contact with water	Void
Out Patrice Production	Void
Oxidising liquids	Void
0.11.	Void
Oxidising solids	Void
	Void
Organic peroxides	Void
	Void
Corrosive to metals	Void
	Void
Desensitised explosives	Void
	Void

Printing date 23.01.2024 Version number 6 (replaces version 5) Revision: 23.01.2024

Trade name: PuraDES PentraMAN

(Contd. of page 5)

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Flammable vapour-air mixtures may develop if stored in large receptacles and above room temperature. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 1	· LD/LC50 values relevant for classification:		
64-17-5 ethanol			
Oral	LD50	2,193 mg/kg (rat)	
Dermal	LD50	5,000 mg/kg (rabbit)	
Inhalative	Inhalative LC50/4 h 34 mg/l (rat)		
71-23-8 pr	71-23-8 propan-1-ol		
Oral	LD50	5,400 mg/kg /male (rat)	
Dermal	LD50	4,032 mg/kg (rabbit)	
		>33.8 mg/l /4h (rat)	

- · Serious eye damage/irritation Causes serious eye irritation.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

*The product may not be released into the environment without control.* 

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 7)

Printing date 23.01.2024 Version number 6 (replaces version 5) Revision: 23.01.2024

Trade name: PuraDES PentraMAN

(Contd. of page 6)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Dispose of packaging according to regulations on the disposal of packagings.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	UN1987
14.2 UN proper shipping name ADR	1987 ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHO)
ADK	n-PROPANOL (PROPYL ALCOHOL, NORMAL))
IMDG	ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL), PROPANOL (PROPYL ALCOHOL, NORMAL))
IATA	ALCOHOLS, N.O.S. (ETHANOL, n-PROPANOL (PROPALCOHOL, NORMAL))
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
	3 Flammable liquids.
Class Label	3 Flammable liquids. 3
Class Label	1
Class Label 14.4 Packing group	1
Class	3
Class Label  14.4 Packing group ADR, IMDG, IATA  14.5 Environmental hazards:	3
Class Label 14.4 Packing group ADR, IMDG, IATA	3 II
Class Label  14.4 Packing group ADR, IMDG, IATA  14.5 Environmental hazards: Marine pollutant:  14.6 Special precautions for user Hazard identification number (Kemler code):	3  II  No  Warning: Flammable liquids. 33
Class Label  14.4 Packing group ADR, IMDG, IATA  14.5 Environmental hazards: Marine pollutant:  14.6 Special precautions for user Hazard identification number (Kemler code):	3  II  No  Warning: Flammable liquids.
Class Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: 14.6 Special precautions for user	3  II  No  Warning: Flammable liquids. 33 F-E,S-E

Printing date 23.01.2024 Version number 6 (replaces version 5) Revision: 23.01.2024

Trade name: PuraDES PentraMAN

	(Contd. of page
· Transport/Additional information:	
· ADR	G 1 F2
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 50 ml  Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	IL
Excepted quantities $(\widetilde{EQ})$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

GHS label elements

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

propan-1-ol

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

*P233 Keep container tightly closed.* 

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

*P337+P313 If eye irritation persists: Get medical advice/attention.* 

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

Printing date 23.01.2024 Version number 6 (replaces version 5) Revision: 23.01.2024

Trade name: PuraDES PentraMAN

(Contd. of page 8)

### · Relevant phrases

H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

### · Department issuing SDS: Abteilung Produktsicherheit

· Contact: Hr. Dr. Metz

### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* \* Data compared to the previous version altered.

GB