Revision: 17.02.2023

# Safety data sheet according to 1907/2006/EC, Article 31

*Printing date 17.02.2023* 

Version number 4 (replaces version 3)

#### · 1.1 Product identifier

- · Trade name: PuraDES TetraMAN B
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages

PW Widespread use by professional workers

C Consumer use

· Sector of Use

SU20 Health services

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC8 Biocidal products
- · Technical function Biocide
- · Application of the substance / the mixture Hand disinfactant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PRISMAN GmbH

Otto Hahn Ring 6-18

D-64653 Lorsch

Germany

· Further information obtainable from:

Abteilung Produktsicherheit

Alexander.Metz@prisman.de

· 1.4 Emergency telephone number: ++49 (0)6251 866980-0, Mo - Fr 8-18 Uhr

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

propan-1-ol

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

*P280* Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Contains biocidal products: ethanol, propan-1-ol

(Contd. on page 2)

Printing date 17.02.2023 Version number 4 (replaces version 3) Revision: 17.02.2023

Trade name: PuraDES TetraMAN B

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-XXXX	ethanol  Flam. Liq. 2, H225	50-100%
CAS: 71-23-8 EINECS: 200-746-9 Index number: 603-003-00-0 RTECS: UH 8225000 Reg.nr.: 01-2119486761-29	propan-1-ol  Flam. Liq. 2, H225 Eye Dam. 1, H318  STOT SE 3, H336	2.5-10%
CAS: 56-81-5 EINECS: 200-289-5 RTECS: MA 8050000 Reg.nr.: 01-2119471987-18-xxxx	glycerol substance with a Community workplace exposure limit	≤2.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

*In case of fire, the following can be released:* 

Carbon monoxide (CO)

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

Ensure adequate ventilation

(Contd. on page 3)

Printing date 17.02.2023 Version number 4 (replaces version 3) Revision: 17.02.2023

Trade name: PuraDES TetraMAN B

(Contd. of page 2)

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dilute with plenty water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Use only in well ventilated areas.

Store in cool, dry place in tightly closed receptacles.

Information about fire - and explosion protection:

Fumes can combine with air to form an explosive mixture.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in upright position.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Inamadianta	ith limit values	4h a4 uaarrina u	. azzitanizaa at tl	. a . u a u l- m l a a a .
· ingredients w	um umu vaiues	inai reauire m	ionitoring at ti	ie workniace:

#### 64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

#### 71-23-8 propan-1-ol

WEL Short-term value: 625 mg/m³, 250 ppm

Long-term value: 500 mg/m³, 200 ppm

Sk

### 56-81-5 glycerol

WEL Long-term value: 10 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

(Contd. on page 4)

(Contd. of page 3)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2023 Version number 4 (replaces version 3) Revision: 17.02.2023

Trade name: PuraDES TetraMAN B

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- · Respiratory protection: Not required.
- · Hand protection Not required.
- · Material of gloves
- Penetration time of glove material -
- · Eye/face protection



Tightly sealed goggles

· **Body protection:** None

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Colourless
 Odour: Alcohol-like
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range 78 °C

· Flammability Not applicable.

· Lower and upper explosion limit

 · Lower:
 2.1 Vol % (Ethanol)

 · Upper:
 15 Vol % (Ethanol)

 · Flash point:
 13 °C (DIN 51755)

• Ignition temperature: 425 °C

• Decomposition temperature: Not determined.

 $\cdot$  pH at 20 °C 5.5

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

·Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.
• Vapour pressure at 20 °C: 59 hPa (calc.)

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature:

Pro

Auto-ignition temperature: Product is not selfigniting.
 Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

• Organic solvents: 67.0 % • VOC (EC) 66 %

· Change in condition

• Evaporation rate Not determined.

(Contd. on page 5)

Printing date 17.02.2023 Version number 4 (replaces version 3) Revision: 17.02.2023

Trade name: PuraDES TetraMAN B

(Contd.	of page	4)

		(Contd. of page
Information with regard to physical hazard	classes	
Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids		
Highly flammable liquid and vapour.		
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
64-17-5 et	hanol		
Oral	LD50	>2,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>20 mg/l (rat)	
71-23-8 pr	opan-1-ol		
Oral	LD50	5,400 mg/kg /male (rat)	
Dermal	LD50	4,032 mg/kg (rabbit)	
Inhalative	LC50/4 h	>33.8 mg/l /4h (rat)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 17.02.2023 Version number 4 (replaces version 3) Revision: 17.02.2023

Trade name: PuraDES TetraMAN B

(Contd. of page 5)

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Sensitisation Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

   64-17-5 ethanol
   EC50
   >10,000 mg/kg (daphnia)

   EC50
   275 mg/l (A)
   >10,000 mg/l (daphnia)

   LC50/96h
   15,300 mg/l (fish)
   LC50/48h
   5,012 mg/l (daphnia)

   T1-23-8 propan-1-ol
   EC50
   1,000 mg/l (Bel)
   3,644 mg/l (daphnia)

   LC50/96h
   4,555 mg/l (fish)
   4,555 mg/l (fish)
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Dispose of packaging according to regulations on the disposal of packagings.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA

UN1987

(Contd. on page 7)

Printing date 17.02.2023 Version number 4 (replaces version 3) Revision: 17.02.2023

Trade name: PuraDES TetraMAN B

	(Contd. of page
· 14.2 UN proper shipping name · ADR	1987 ALCOHOLS, N.O.S. (ETHANOL (ETHY, ALCOHOL), n-PROPANOL (PROPYL ALCOHOL
· IMDG · IATA	NORMAL)) ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL, n-PROPANOL (PROPYL ALCOHOL, NORMAL)) ALCOHOLS, N.O.S. (ETHANOL, n-PROPANOL (PROPYL ALCOHOL, NORMAL))
· 14.3 Transport hazard class(es)	(I KOI IL ALCOHOL, NOKWAL))
· ADR, IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Hazard identification number (Kemler code):	Warning: Flammable liquids. 33
· EMS Number:	F-E,S-D
· 14.7 Maritime transport in bulk according to IM instruments	10 Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

## **SECTION 15: Regulatory information**

- $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

GHS label elements

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





· Signal word Danger

(Contd. on page 8)

Printing date 17.02.2023 Version number 4 (replaces version 3) Revision: 17.02.2023

Trade name: PuraDES TetraMAN B

(Contd. of page 7)

#### · Hazard-determining components of labelling:

propan-1-ol

#### · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

*P280* Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

*P337+P313 If eye irritation persists: Get medical advice/attention.* 

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Directive 2012/18/EU
- $\cdot \textit{Named dangerous substances-ANNEX I} \ \textit{None of the ingredients is listed}.$
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

- · Department issuing SDS: Abteilung Produktsicherheit
- · Contact: Hr. Dr. Metz
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

GB